

## Table of Contents

|   |     |
|---|-----|
| <b>Introduction</b> .....   | V   |
| <i>by M. Pastorino and A. Randazzo</i>  |     |
| <b>1. On the Role and the Exploitation of the Information in Inverse Scattering Problems for Microwave Imaging. Theory, Numerical Tools, and Applications</b> ..... | 1   |
| <i>by N. Anselmi, G. Oliveri, L. Poli, A. Polo, P. Rocca, M. Salucci, A. Massa</i>  |     |
| <b>2. Some Results about the Information Content, the Degrees of Freedom and the Resolution in Linear Inverse Scattering</b> .....                                  | 17  |
| <i>by A. Brancaccio, G. Leone, M. A. Maisto, R. Pierri, R. Solimene</i>   |     |
| <b>3. Microwave Tomography for Unmanned Aerial Vehicle Radar Imaging: State of the Art and Perspectives</b> .....   | 35  |
| <i>by I. Catapano, G. Gennarelli, G. Esposito, C. Noviello, G. Ludeno, F. Soldovieri</i>  |     |
| <b>4. The Shifting Zoom as the Way to Make Possible the Application of Inverse Scattering Algorithms to GPR Data</b> .....  | 51  |
| <i>by R. Persico, I. Catapano, G. Gennarelli, G. Ludeno, F. Soldovieri</i>  |     |
| <b>5. Through-the-Wall Microwave Imaging: Forward Modeling and Hybrid Inverse-Scattering Procedures</b> .....   | 65  |
| <i>by A. Fedeli, M. Pastorino, C. Ponti, A. Randazzo, G. Schettini</i>  |     |
| <b>6. Millimeter Wave Imaging Profilometry for Plasma Diagnostics: Analysis, Design and Preliminary Assessment</b> .....  | 85  |
| <i>by L. Di Donato, S. C. Pavone, and G. Sorbello</i>   |     |
| <b>7. Microwave-based Devices for the Quality Assessment of the Industrial Manufacturing of Carasau Bread</b> .....   | 103 |
| <i>by M. B. Lodi, N. Curreli, G. Muntoni, C. Macciò, A. Fanti, G. Mazzarella</i>  |     |
| <b>8. Full Phaseless Approach to Inverse Scattering</b> .....   | 119 |
| <i>by S. Costanzo, G. Lopez, G. Di Massa</i>  |     |

|   |            |
|---|------------|
| <b>9. Intracranial Hemorrhage Imaging-based Follow-up: Experimental<br/>Assessment Using a Microwave Imaging Scanner .....</b>      | <b>145</b> |
| <i>by D. O. Rodriguez-Duarte, C. Origlia, J. A. Tobon Vasquez,<br/>R. Scapatucci, G. Turvani, M. R. Casu, L. Crocco, F. Vipiana</i> |            |
| <b>10. Microwave Imaging in Non-Conventional Lebesgue Spaces:<br/>Overview and Application to Brain Stroke Imaging .....</b>        | <b>163</b> |
| <i>by A. Fedeli, V. Schenone, M. Pastorino, A. Randazzo,<br/>C. Estatico, I. Bisio, F. Lavagetto, A. Sciarrone</i>                  |            |